# **REQUEST FOR QUOTATION (RFQ) No. 476-2021**



**Procurement Unit** 

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinager referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No. 2021-145 (MISO)		I.T. PROJECT: SUPPLY, DELIVERY, INSTALLATION, COMMISSIONING AND STUDIO SOLUTION SERVICES		APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT	
Philgeps Posting:	Active Date Closing Da	e: <u>nla</u> 12 22 21 ate: <u>ula</u> 12 27 21	Category: _ Reference	No: 17	
Interested suppliers	s are required	d to submit the following doc	cumente:		
	d Current Ma PhilGeps Re	yor's / Business Permit -	Latest Incom	me / Business Tax Returr worn Statement f applicable	
Proof of	PhilGeps Re Sale:	yor's / Business Permit -	Latest Incor Omnibus S Brochure, if	worn Statement f applicable	

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1-13) and eligibility documents is not later than 13/21 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City Open submission may be done manually or through email at tsucanvassing@gmail.com / julietelaineacuna@yahoo.com / javy\_carlos@yahoo.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

CARLOTA M. MARCOS Head, Procurement Unit

Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 1 of 14
			1 age 1 01 14

Date:	العراجا
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		I.T. PROJECT: SUPPLY, DELIVERY, INSTALLATION, COMMISSIONING AND STUDIO SOLUTION SERVICES		-	
ļ		For Live Streaming and Recording for TSU		,	
ŀ		Technical Specification:			
		1 unit of Media Recorder Box			
1	lot	Support 2 HDMI inputs for live streaming & recording. Small Size with 7-inch touch screen, easy to carry and demonstrate, Recording output format for MP4. Full/PIP/POP layouts and with special transition effects, Support TS/RTMP live streaming protocol, PGM review and can be output to big screen to watch. Friendly Touch Screen and able to combine mouse to control, Auto or manually switch layout (A/B/PIP/POP) while recording , System will auto display the single signal, or it can be selected to 2 inputs of alternative layouts of PIP or POP, Auto save & upload the recorded files to public platforms as Youtube. Wowaa, Ustream, etc, With smart switch function, system will auto display the sub-input while the main signal is blank and auto switch into PGM indee while the inputs are dynamic Other setting.  Brigthness/Contrast/Color/Saturation/Resolution/Parameters/Time/Logo/IP setting, Suitable for remote conference, training, learning, seminar, medical use and so on Detailed Specifications.  Monitor: 7" touch screen, I/O; USB 3 0, RJ45, Internal Memory: 64GB, Resolution 1080p x 720p, Coding Format MP4 (H.264/AAC) Operating System; Linux Input: HDMI X2, Line In, Mic, Output: HDMI X1, Line out Power; DC 12V	1		

orm No.: TSU-PRO-SF-06	Revision No 06	Effectivity Date	.4a/c 15, 2020	T T	Page 2 of 14
form No. TSU DDO CC AG	le :				
Bank Account Number			-		
Bank Account Name			_		•
Bank Address			-		
Bank Name					
BANK DETAILS:					
Contact no. ;			<del>-</del>		
E-mail Address			_		
Company Name Registered			_		
Date :			<del></del>		
Printed Name			_		
Signature					
AUTHORIZED REPRESENT	ATIVE:				
Very truly yours,					
The above-quoted price is inc	nusive of all costs a	nd applicable tax	xes		
The above-quoted price is in-			_		
Warranty				<del>-</del>	<u> </u>
Power: DC	II X2. Line In. Mic, Output 12V	HDMI X1, Line out		,	
MP4 (H.26	4/AAC) Operating System;	Linux			•
Monitor: 7' Memory: 6	touch screen, I/O: USB 3 ( 4GB, Resolution 1080p x 7	0, RJ45, Internal			
training, le Detailed S	pecifications.		·		ł

Date:	12/21/21
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO. UN	NIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		1 unit 75 inches Interactive Display			
	J	OPS PC module, Processor: Intel Core i5, 8th Gen, Graphics: UHD Graphic, Support 4k@60Hz Refresh Rate. RAM/Memory: 4GB, Storage/Hard Disc: 128GB SSD, OS. Windows IOT Genuine License, Thinker View Camera, Full HD Camera with 110 Degree FOV, and built-in mic Array			
		1 unit of Floor Mount Trolley			
		Universal in design to fit 72" to 98" displays The Floor mount can hold the weight up to 130 kg Integrated cable management system , Adds a top tray and adjustable middle ledge to carry A/V equipmen; VESA compliant , Colours available: - Black Detailed Specifications: Max.load 287 lbs (130 kg), VC Camera Mount: Yes , VESA 600x400 to 900x600 , Display Sizes 72" to 98" , Material: Steel , Product Weight 38 kg			

Det Car	alled Specifications: Max.load 28; nera Mount: Yes , VESA 600x400 es 72" to 98" , Material: Steel , Pro	7 lbs (130 kg), VC ) to 900x600 , Display	
Warranty			<u> </u>
The above-quoted price	is inclusive of all costs a	and applicable taxes	
Very truly yours,			
AUTHORIZED REPRES	SENTATIVE:		
Signature Printed Name Date Company Name Registe E-mail Address Contact no.	ered :		
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number			
Form No : TSU-PRO-SF-06	Revision No.: 06	Effectivity Date, March 5, 2020	Page 2 of 14

Date:	12/21/21
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO. L	JNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
	_	1 unit of Tracking Camera			
		Superb High-definition Image, Leading Focus Technology. Low Noise and High SNR, Audio Input Interface, Wide-range, Quiet and Quick Pan/Tilt Mechanism, Multiple Video Compression, Multiple Network Protocol, Low-power Sleep Function Detailed Specifications. Sensor: ½.8-inch-high quality HD CMOS Sensor Effective Pixels: 2.07 megapixel; 16:9, Video Signals: 1080P 60/50/30/25/59.94/29.97, 1080I 60/50/59.94, 720P 60/50/30/25/59.94/29.97, Optical Zoom: 20x, Optical Zoom: x10, Digital Noise Reduction 2D&3D digital noise reduction, Iris: F1.6~F3.5, Minimum Illumination. 0.5Lux (F2.8, AGC ON), White Balance: Manual/Auto/One Push/3000K/400K/500K/6500K Focus: Auto / Manual/ One Push, Electronic Shutter. Auto/Manual, WDR: OFF/Dynamic Range adjustment. Video Adjustment: Brightness, Color, Saturation, Contrast, Sharpness, Gamma Curve Panoramic Camera Sensor: ½.8inch high quality HD CMOS Sensor, Effective Pixels: 2.1 megapixel, Lens: Manual Focus 6mm Lens View Angle: 122/98/73			

Panorami Sensor 3	is, Gamma Curve ic Camera 4.8inch high quality HD CMt 1 megapixel, Lens: Manual 2/98/73	OS Sensor, Effective Focus 6mm Lens View	
Warranty	:		
The above-quoted price is in	nclusive or all costs a	and applicable taxes	
Very truly yours,			
AUTHORIZED REPRESENT	TATIVE:		
Signature Printed Name Date Company Name Registered E-mail Address Contact no.			
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number			
Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 4 of 14

Date:	।औथ/य
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO. UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
	Input/Output Interface and Protocols Video Interface: SDI LAN, Network Interface. 100M network interface (10/100BASE-TX), Video Compress Format. H.264, H.265, Control Protocol: Visca/Pelco-D/Pelco-P Baud Rate: 115200/9600/4800/2400bps Network Protocol RTSP, RTMP, ONVIF, GB/T28181 Audio Input Interface: Dual audio channel 3,5mm linear input. Video Stream: Dual Stream Output, Control Signal Interface: RS232 / RS485, Audio Compress Format: AAC, MP3, PCM, Power Interface: HEC3800 Power Jacket (DC12V) Pan Tilt Parameter Pan Rotation170 ~ +170, Pan Control Panel: 0.1 ~ 100/s Preset Speed: Pan: 100/s, Tilt: 45/s, Preset Number: "User can set up to 255 presets (remoter 10 presets) Other Parameters Supply Adapter: Input AC110V-AC220V to DC12V/2.5A Input Voltage: Output DC12V+10%, Consumption: 18W (Max), Input Current: 1.5A (Max), Application, Indoor Remote Maintenance: Remote Update, Remote Reboot, Remote Reset, Accessory, 12V/2 5A Power Supply Adapter, RS232 control cable, Remote Controller, User Manual, Warranty Card			

Re RS	mote Maintenance: Remote Opdat Maintenance: Remote Contro 232 control cable, Remote Contro arranty Card	Power Supply Adapter	
Warranty	: _		
The above-quoted price	e is inclusive of all costs a		
Very truly yours,			
AUTHORIZED REPRE	SENTATIVE:		
Signature Printed Name Date Company Name Pegiste E-mail Address Contact no.	ered :		•
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number			
Form No.: TSU-PRO-SF-06	Revision No.: 06		
1 0111 NO. 130-FRO-3F-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 5 of 14

Date:	12/21/21
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4637 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		1 unit Tripod System Kit			
		Two-stage aluminum tripod with 60mm bowi Supports loads up to 11 lb Fixed pan/tilt drag with independent pan/tilt locks Sliding quick release plate Pan handle attaches to either side of head 28.9 to 61" Height range Fixed, non-removable mid-level spreader Independent leg adjustment using twist-lock levers Rubber feet with enclosed metal spikes for use on a variety of surfaces Head-mounted bubble level 30.5" Folded length Padded carrying case			
		1 unit Keyboard Controller			
		Features.  • Ergonomic design with 4D stick for pan/tilt/zoom/focus control  • Auto backlight keys& High brightness OLED display.  • Self-defined keys as shortcut  • Password protection  • Support multi-baud rate and protocols  • Support up to 256 devices  • Batch program cameras in the systems  • Compact design with portable feature			

	program cameras in the syst act design with portable featu		
Warranty	•		
The above-quoted price is in	nclusive of all costs a	and applicable taxes	
Very truly yours,			
AUTHORIZED REPRESEN	TATIVE:		
Signature Printed Name Date Company Name Registered E-mail Address Contact no.	·		·
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number			
Form No : TSU-PRO-SF-06	Revision No. 06	Effectivity Date: March 5, 2020	Page 6 of 14

Date:	12/21/21
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Detailed Specifications Comm. Interface: RS-485, RS-232 Protocol: PELCO-D, PELCO-P, VISCA Baud Rate(bps): 2400, 4800, 9600, 19200, 38400 Address: 0 ~ 255, 0 ~ 7 (VISCA) Joystick: 4-axis (Left/Right, Up /Down, Zoom In/ Zoom Out, Focus Near / Focus Far) Display: OLED Power: DC12V/ 1A Power Consumption: <2W			
		1 unit of HDMI Capture Box  Max input resolution 1920x1200, with USB, 1HDMI,			
		1 unit of High-Performance Laptop for Livestreaming			
		Processor: 11th Generation Intel® Core™ i7 Operating System: Pre-loaded OEM Windows 10 Pro 64bit English (Genuine Microsoft OS Media Kit CD Included, DVD or Flashdrive, or document proof of OS genuity) Graphics: NVIDIA® GeForce RTX™ 3060 6GB GDDR6 Display: 15.6-inch FHD (1920 x 1080) 120Hz 250 nits WVA Anti-Glare LED Backlit Narrow Border Display Memory: 16GB, 8GBx2, DDR4, 3200MHz Hard Drive: 512GB M.2 PCIe NVMe Solid State Drive Processor: 11th Generation Intel® Core™ i7 Operating System: Pre-loaded OEM Windows 10 Pro 64bit English			

	Hard Drive: Processor: 1	6B, 8GBx2, DDR4, 3200 512GB M.2 PCIe NVMe 1th Generation Intel® Co stem: Pre-loaded OEM	Solid State Drive pre 14 17		
Marranty					
Warranty	•				
The above-quoted p	rice is incli	usive of all costs a	and applicable taxe	·s	
Verv truly yours,					
AUTHORIZED REPI	RESENTA	TIVE:			
Signature	:				
Printed Name	•				
Date					
Company Name Reg	gistered				
E-mail Address	:				
Contact no.	:				
BANK DETAILS:					
Bank Name					
Bank Address	:				
Bank Account Name	:				
Bank Account Numb	er :				
Form No.: TSU-PRO-SF-06	_	Revision No.: 06	Effectivity Date. M	1arch 5, 2020	 Page 7 of 14

Date:	12/21
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO. UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
	(Genuine Microsoft OS Media Kit CD Included, DVD or Flashdrive, or document proof of OS genuity) Graphics: NVIDIA® GeForce RTX™ 3060 6GG GDDR6 Display, 15.6-inch FHD (1920 x 1080) 120Hz 250 nits WVA Anti-Glare LED Backlit Narrow Border Display Memory: 16GB, 8GBx2, DDR4, 3200MHz Hard Drive: 512GB M.2 PCIe NVMe Solid State Drive Keyboard: US English Qwerty 4-Zone RGB Backlit Keyboard with Numeric Keypad and G-Key Mouse, Precision Touchpad Ports: 2 SuperSpeed USB 3.2 1 SuperSpeed USB 3.2 with PowerShare 1 Type-C Thunderbolt™ 4 port with DisplayPort alt mode 1 HDMI 1 Power In 1 RJ45 1 Headphones/mic Camera: HD RGB camera with digital-array microphones in camera assembly Audio and Speakers 1 neadset (headphone and microphone combo) port Stereo speakers with Realtek ALC3254, 2 W : 2 5 W Dual-array microphones Wireless, Intel® Wi-Fi 6 AX201 (2x2) Wi-Fi + Bluetooth 5 2 Primary Battery 6-cell Smart lithium-ion, 86 WHr w/ 3 years on-site repair / warranty or all labor and parts by an authorized technical support			

Warranty The above-quoted price is inclusive of a Very truly yours, AUTHORIZED REPRESENTATIVE:	all costs and applicat	ble taxes		
The above-quoted price is inclusive of a	all costs and applicat	ble taxes		
Very truly yours,	all costs and applical	ble taxes		
ALITHORIZED REPRESENTATIVE:				
AOTHORIZED IV I RECEIVATIVE.				
Signature Printed Name Date Company Name Registered E-mail Address Contact no.			·	
BANK DETAILS:  Bank Name  Bank Address  Bank Account Name  Bank Account Number				
Form No., TSU-PRO-SF-06 Revision N	No : 06 Effectiv	vity Date: March 5, 2020	Pa	ge 8 of 14

Date:	12/24/21
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		1 unit of 5-port Gigabit Switch		, , , , , , , , , , , , , , , , , , , ,	
		Device Interfaces: 5 X 10/100/1000BASE-T ports Standards: • IEEE 802.3 10BASE-T • IEEE 802.3 ii 100BASE-TX • IEEE 802.3 ab 1000BASE-TY. • IEEE 802.1 p QoS • IEEE 802.3 ab Energy-Efficient Ethernet (EEE  Media Interface Exchange. Auto MDI/MDIX adjustment for all ports  Transmission Method: Store-and-forward  Data Transfer Rates: Ethernet: • 10 Mbps (half-duplex) • 20  Mbps (full-duplex) • Fast Ethernet: • 100 Mbps (half-duplex) • 200 Mbps (full-duplex) • Gigabit Ethernet: • 2000 Mbps (full-duplex)			
		1 unit of Wireless Presenter System with Lavalier Microphone			
		Detailed Specifications. Bodypack Transmitter, Audio Input Level: Max = -16 dBV maximum, min (0 db) = +10dBV maximum, Gain Adjustment Range: 26 dB, Input Impedance: 1 M $\Omega$ RF Transmitter Output: 10 mW, typical, Housing: Molded ABS, Power Requirements: 2 LR6 AA batteries: 1.5 V, alkaline, Battery Life: up to 14 hours (alkaline) Wireless Receiver, Output Impedance, XLR Connector: 200 $\Omega$ , 6.35 mm (1/4") connector: 50 $\Omega$ Audio Output Level XLR Connector: -27 dBV (into 100 k $\Omega$ load), 6.35 mm (1/4"): -13 dBV (into 100 k $\Omega$ load), RF Sensitivity: -105 dBm, for 12 dB SINAD, typical, Image Rejection: >50 dB, typical, Housing: Molded ABS, Power Requirements: 12–15 V DC @ 235 mA (BLX88, 320 mA), supplied by external power supply, with Lavalier Microphone			

	alkaline, Bat Wireless Re Ω, 6.35 mm Audio Outpu XLR Connec : –13 dBV (ir 12 dB SINAI Housing : Mo @ 235 mA (i	tor: –27 dBV (into 100 k nto 100 kΩ load), RF Sen D, typical, Image Rejectio olded ABS, Power Requir BLX88, 320 mA), supplier	s (alkaline) e, XLR Connector : 200 cΩ load), 6.35 mm (1/4") esitivity =-105 dBm, for on : >50 dB, typical, rements : 12–15 V DC			
	supply, with	Lavalier Microphone				
Warranty	:			· <b>-</b>		
The above-quoted p	rice is incl	usive of all costs a	and applicable tax	- :e3		
Very truly yours,						
AUTHORIZED REPI	RESENTA	ATIVE:				
Signature	:					
Printed Name	:			-		
Date			· · · · · · · · · · · · · · · · · · ·	_		
Company Name Reg E-mail Address	jistered		·	-		
Contact no.		<del></del>		-		
Contact no.	•			-		
BANK DETAILS:						
Bank Name	:					
Bank Address	:			-		
Bank Account Name			· · · · · · · · · · · · · · · · · · ·	-		
Bank Account Numb	er :			• -		
Form No.: TSU-PRO-SF-06		Revision No.: 06	Effectivity Date:	March 5, 2020	<u>-</u>	Page 9 of 14
FOITH NO.: TSU-PRU-SF-06	· · · · · · · · · · · · · · · · · · ·	Revision No.: 06	Effectivity Date:	March 5, 2020		Page 9 of 14

Date:	12/21/21
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		3 sets of Dimmable Bi-Color Light LED Panel and Stand Lighting Kit			5 dd 14 dd 14
		<ul> <li>Dimmable Bi-color Light Panel: With 330 White and 330 Yellow LED long lasting bulbs, back with 2 control knobs to adjust brightness (0%-100%), 3200-5600K color temperature, the light panel can satisfy your various needs of lighting effects, more realistic to show the color of shooting objects</li> <li>U-mount Bracket &amp; Adjustable Light Stand - U-mount bracket enables the photographers to adjust the lighting angle according to the shooting environment. Comes with an extensible light stand, folded height is about 49.5cm/19 5in, and max. height is about 200cm/78.7in, with knob to lock the height you desired, very convenient to use.</li> <li>2 Types of Power Supply - Power can be supplied through AC adapter or 2 lithium batteries at the video light to use, support NP-F550/F970/F750 li-ion batteries. (Batteries are not included.)</li> <li>Premium Material &amp; Multi-use: Made of excellent quality aluminum alloy showing simple elegant appearance; Can be placed directly on the light stand, ground or desk, providing multiple shooting solutions, more convenient for your creation work</li> <li>Useful Accessories: Comes with a white diffuser to soften the harsh light; A zippered carrying bag makes it easy to carry and store the light and accessories.</li> </ul>			

Form No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 10 of 14
Bank Account Number	:		
Bank Account Name	·		
Bank Address			
Bank Name			
BANK DETAILS:			
Contact no.			
E-mail Address	:		
Company Name Registered			
Date :			
Printed Name			
Signature :			
AUTHORIZED REPRESENT	ATIVE:		
Very truly yours,			
The above-quoted price is inc	clusive of all costs a	ind applicable taxes	
Warranty			
104			
Detailed of	secureations.		
Detailed So	pecifications	1	ł

Date:	12/21/21
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		LED Light Main Material: Aluminum Alloy, Plug: US/EU/UK/JP(Optional), 100-240V 50/60Hz Voltage: DC 12V-15V, LED B∋ads: 660 Pieces (330 White+330 Yellow), Power: 40W, Lumen: 426 <sup>(1)</sup> Adjustable Brightness: 0%-100%, Color Temperature: 3200-5600K, Color Rending Index: ≥85%			
		Light Stand Color: Black, Main Material: Aluminum Alloy, Folded Height: 49.5cm / 19.5in, Maximum Height: 200cm / 78.7in, Tripod Weight: 1111g / 39.2oz			
		1 unit of 25ft HDMI Cable	_		
		High-Speed HDMI Cable with Ethernet (Camera to AV Mixer: Media Box)			
		Technical Specifications Video: Max Data Rate for 25–35ft (7.6–10 7m): 10.2 Gbps (3.4Gbps per channel) Supported Color Spaces: RGB, YCbCr, xvYCC, Adobe sRGB, sYCC601, BT.2020 HDMI Compliance: HDR, HDCP 2.2, EDID and CEC, ARC and ETH			
		Audio Supported Audio Formats: Dolby Digital Plus™, Dolby TrueHD™, DTS-HD Master Audio™, DVD Audio, SA-CD PHYSICAL HDMI Source: On a male HDMI type A, 24K gold-plated K-Lock connector HDMI Display. On a male HDMI type A, 24K gold-plated K-Lock connector			

Bank Account Name Bank Account Number			
Bank Address			
Bank Name			
BANK DETAILS:			
Contact no.	- -		
E-mail Address			
Company Name Registered			
Date		<del></del>	
Signature Printed Name	·		
AUTHORIZED REPRESENT	TATIVE:		
Very truly yours,			
The above-quoted price is in	clusive of all costs a	and applicable taxes	
Warranty	:		
HDMI Dis K-Lock co	olay. On a male HDMI type onnector	A. 24K gold-plated	
K-Lock co			
TrueHD™ PHYSICA	_	, DVD Audio, SA-CD	
Audio			
and ETH	ilpliance. HUR, HUCP 2.2,	EDID anii CEC, ARC	

Date:	اد/ند/ه،
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		CONDUCTORS Material: Bare Copper 3–35ft ( 9–10.7m) lengths: 26AWG (7/0.160) SCREENING Type: Triple shielding JACKET Material: PVC Color: Black			
		1 unit of 35ft HDMI Cable			
		High-Speed HDMI Cable with Ethernet (Interactive Display to AV Mixer / Media Box Technical Specifications: Video: Max Data Rate for 25–35ft (7.6–10.7m) = 10.2 Gbps (3.4Gbps per channel) Supported Color Spaces: RGB, YCbCr, xvYCC, Adobe sRGB, sYCC601, BT 2020 HDMI Compliance: HDR, HDCP 2.2, EDID and CEC, ARC and ETH Audio Supported Audio Formats: Dolby Digital Plus™, Dolby TrueHD™, DTS-HD Master Audio™, DVD Audio, SA-CD PHYSICAL HDMI Source: On a male HDMI type A, 24K gold-plated K-Lock connector HDMI Display: On a male HDMI type A, 24K gold-plated K-Lock connector CONDUCTORS Material: Bare Copper 3–35ft (.9–10.7m) lengths: 26AWG (7/0.160) SCREENING Type: Triple shielding JACKET Material: PVC Color: Black			

	·		
Warranty	:		
The above-quoted price is	nclusive of all costs a	and applicable taxes	
Very truly yours,			
AUTHORIZED REPRESEN	ITATIVE:		
Signature Printed Name Date Company Name Registered <b>E-mail Address</b> Contact no.			
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Number			
orm No.: TSU-PRO-SF-06	Revision No.: 06	Effectivity Date: March 5, 2020	Page 12 of 14

Date:	12/21/21
RFQ No.	476-2021
PR No.	2021-145 (MISO)

The Bids and Awards Committee c/o Procurement Unit TSU, Tarlac City (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
ITEM NO.	UNIT	ITEM & DESCRIPTION  1 unit of 3ft HDMI Cable  High-Speed HDMI Cable  (AV Mixer / Media box to HDMI Capture Box)  Video: Max Resolution for 3–20ft (.9–6 1m) lengths  4K@60Hz (4:4 4), Supported Color Spaces RGB, YCbCr.  xvYCC, Adobe sRGB, sYCC601, BT 2020  HDMI Compliance: HDR, HDCP 2.2, EDID and CEC, ARC  and ETH  Audio  Supported Audio Formats: Dolby Digital Plus™, Dolby  TrueHD™, DTS-HD Master Audio ™, DVD Audio, SA-CD  PHYSICAL  HDMI Source: On a male HDMI type A. 24K gold-plated  K-Lock connector	QUANTITY	UNIT PRICE	TOTAL PRICE
		HDMi Display. On a male HDMI type A, 24K gold-plated K-Lock connector CONDUCTORS Material: Bare Copper 3–35ft (.9–10.7m) lengths: 26AWG (7/0.160) SCREENING Type: Triple shielding JACKET Material. PVC Color: Black  1 unit of Background Cloth for Photography  Material: cotton muslin harmonious background, wear-			
		resistant, wrinkle resistance with Clamps and mounting accessories. Dimensions: 3m x6m Color: Black			

	Color: Black					
					·	
Warranty	:			_		
The above-quoted p	rice is inclu	isive of all costs a	and applicable tax	es		
Very truly yours,						
AUTHORIZED REPI	RESENTA	TIVE:				
Signature Printed Name Date Company Name Reg E-mail Address Contact no.	: gistered : :			- - - -		
BANK DETAILS: Bank Name Bank Address Bank Account Name Bank Account Numb	•			- - -		
Form No.: TSU-PRO-SF-06		Revision No.: 06	Effectivity Date	March 5, 2020		Page 13 of 14

Date:	/૨	14/4					
RFQ No.	476-	2021					
PR No.	2021-14	5 (MISO)	<del>-</del>				
	ement Un ac City 4630 / (045 m: ng carefull	it i) 606 -815 y read an			in the Req	uest for Quo	tation,
ITEM NO.	UNIT	1	ITEM & DESCRIPT	<del></del>	QUANTITY	UNIT PRICE	TOTAL PRICE
		Additiona	I Requirements			<u>,,</u>	
		operation ar • Provide was labor or pari • Installation • Conduct te	per training to end-users for end installation.  arranty for all the equipment is, on-site repair, or hardward and setup of included items esting prior to project accepta f a kick-off meeting to discustion plan.	to be rielivered on all l e replacement, in the project, ance			
Warranty		:					
The above	e-quoted p	rice is inc	lusive of all costs an	d applicable tax	es		
Very truly	yours,					,	
AUTHORI	ZED REP	RESENT	ATIVE:				
Signature Printed Na Date Company E-mail Ad Contact no	Name Reg	gistered					
BANK DE Bank Nam Bank Addi Bank Acco Bank Acco	ne ress ount Name						

Effectivity Date. March 5, 2020

Page 14 of 14

Revision No.: 06

Form No.: TSU-PRO-SF-06





Eentral Portal for Hillippine Government Procurement Oppurtunities

#### **Bid Notice Abstract**

# Request for Quotation (RFQ)

**Reference Number** 

8318124

**Procuring Entity** 

TARLAC STATE UNIVERSITY

Title

IT Project: Supply , delivery, installation, commissioning and studio solution services

**Area of Delivery** 

Tarlac

Solicitation Number:	476-2021	Status		Pending		
Trade Agreement:	Implementing Rules and Regulations					
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Compone	nts			
Classification:	Goods	Bid Supplements				
Category:	Information Technology					
Approved Budget for the Contract:	PHP 972,000.00	Document Request L	ist			
Delivery Period:	30 Day/s					
Client Agency:		Date Published		22/12/202		
Contact Person:	Juliet Elaine Acuna					
	Canvasser Romulo Blvd. Tarlac City Tarlac	Last Updated / Time	21/12/2021 16:			
	Philippines 2300 63-045-6068157	Closing Date / Time	27	27/12/2021 13:00 P		
	julietelaineacuna@yahoo.cor	m				
Description		•				
For MISO use.						
Line Items						
	n version de la companya de la comp Na la companya de la	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	e de la companya della companya della companya de la companya della companya dell	K.A. LANSEL		
1 IT Proj	ect Supply, Delivery, Ins	stallation, Studio Solution Services	1 Lot	972,000.00		

Created by

Juliet Elaine Acuna

**Date Created** 

21/12/2021

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004,2004-2021 DBM Procurement Service. All rights reserved.,DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap